

SECTION 1 Identification

1.1. GHS Product identifier

Product form : Mixture
Product name : H-Go -45 °C Windshield Washer

1.2. Other means of identification

Windshield washer

1.3. Recommended use of the chemical and restrictions on use

Enables clear windshield of salt, dirt, insects and dust, as well as snow in the winter.

1.4. Supplier's details

Harnois Énergies
80 Route 158
Saint-Thomas, Qc J0K 3L0
Canada
T 450-759-7979; Sans frais: 1-800-363-2712 - F 450-759-7001

1.5. Emergency phone number

Emergency number : Harnois Énergies Customer Service: 1-800-363-2712 (Monday to Friday 7 a.m. to 8 p.m.)

SECTION 2 Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Flammable liquids, Category 3	H226	Flammable liquid and vapour
Acute toxicity (oral), Category 3	H301	Toxic if swallowed
Acute toxicity (dermal), Category 3	H311	Toxic in contact with skin
Acute toxicity (inhalation:dust,mist), Category 4	H332	Harmful if inhaled
Specific target organ toxicity, Single exposure, Category 1	H370	Causes damage to organs.
Full text of H-statements: see section 16		

2.2. GHS label elements, including precautionary statements

GHS CA labelling

Hazard pictograms



Signal word : Danger

Hazard statements : H226 - Flammable liquid and vapour
H301+H311 - Toxic if swallowed or in contact with skin
H332 - Harmful if inhaled
H370 - Causes damage to organs.

Precautionary statements : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 - Keep container tightly closed.
P240 - Ground and bond container and receiving equipment.
P241 - Use explosion-proof equipment.

H-Go -45 °C Windshield Washer

Safety Data Sheet

according to Hazardous Products Regulation (WHMIS Revision 7-8)

P242 - Use non-sparking tools.
P243 - Take action to prevent static discharges.
P260 - Do not breathe dust, fume, gas, mist, vapours, spray.
P264 - Wash hands, forearms and face thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P271 - Use only outdoors or in a well-ventilated area.
P280 - Wear protective gloves, protective clothing, eye protection, face protection, and hearing protection.
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or a doctor.
P302+P352 - IF ON SKIN: Wash with plenty of water.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308+P311 - IF exposed or concerned: Call a POISON CENTER or a doctor.
P312 - Call a POISON CENTER or a doctor if you feel unwell.
P321 - Specific treatment (see supplemental first aid instruction on this label).
P330 - Rinse mouth.
P361+P364 - Take off immediately all contaminated clothing and wash it before reuse.
P370+P378 - In case of fire: Use appropriate media to extinguish.
P403+P235 - Store in a well-ventilated place. Keep cool.
P405 - Store locked up.
P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	Conc. (% w/w)
Methanol	-	CAS-No.: 67-56-1	30 – 65
Propan-2-ol	-	CAS-No.: 67-63-0	1 – 7

Full text of hazard classes and H-statements : see section 16

SECTION 4 First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing.
First-aid measures after eye contact : Rinse eyes with water as a precaution.
First-aid measures after ingestion : Rinse mouth. Call a physician immediately.
First-aid measures general : Call a physician immediately.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation : Harmful if inhaled.

H-Go -45 °C Windshield Washer

Safety Data Sheet

according to Hazardous Products Regulation (WHMIS Revision 7-8)

Symptoms/effects after skin contact	: Toxic in contact with skin.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: Toxic if swallowed.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5 Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard	: Flammable liquid and vapour.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Special protective actions for fire-fighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
Environmental precautions	: Avoid release to the environment.

6.2. Methods and materials for containment and cleaning up

For containment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.

For further information refer to section 13

H-Go -45 °C Windshield Washer

Safety Data Sheet

according to Hazardous Products Regulation (WHMIS Revision 7-8)

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Use only outdoors or in a well-ventilated area.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Ground/bond container and receiving equipment.
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
Packaging materials	: Store always product in container of same material as original container.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Methanol (67-56-1)	
Canada (Alberta) - Occupational Exposure Limits	
Local name	Methanol (Methyl alcohol)
OEL TWA	262 mg/m ³
	200 ppm
OEL STEL	328 mg/m ³
	250 ppm
Notations and remarks	Substance may be readily absorbed through intact skin.
Regulatory reference	Alberta Regulation 191/2021
Canada (Quebec) - Occupational Exposure Limits	
Local name	Methyl alcohol (Methanol)
VECD (OEL STEV)	328 mg/m ³
	250 ppm
VEMP (OEL TWA EV)	262 mg/m ³
	200 ppm
Notations and remarks	Pc
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety
Canada (British Columbia) - Occupational Exposure Limits	
Local name	Methanol
OEL TWA	200 ppm
OEL STEL	250 ppm
Notations and remarks	Skin

H-Go -45 °C Windshield Washer

Safety Data Sheet

according to Hazardous Products Regulation (WHMIS Revision 7-8)

Methanol (67-56-1)	
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
Canada (Manitoba) - Occupational Exposure Limits	
Local name	Methanol
OEL TWA	200 ppm
OEL STEL	250 ppm
Notations and remarks	TLV® Basis: Headache; eye dam; dizziness; nausea. Notations: Skin; BEI
Regulatory reference	ACGIH 2024
Canada (New Brunswick) - Occupational Exposure Limits	
Local name	Methanol
OEL TWA	200 ppm
OEL STEL	250 ppm
Notations and remarks	Headache; eye dam; dizziness; nausea
Canada (Newfoundland and Labrador) - Occupational Exposure Limits	
Local name	Methanol
OEL TWA	200 ppm
OEL STEL	250 ppm
Notations and remarks	TLV® Basis: Headache; eye dam; dizziness; nausea. Notations: Skin; BEI
Regulatory reference	ACGIH 2024
Canada (Nova Scotia) - Occupational Exposure Limits	
Local name	Methanol
OEL TWA	200 ppm
OEL STEL	250 ppm
Notations and remarks	TLV® Basis: Headache; eye dam; dizziness; nausea. Notations: Skin; BEI
Regulatory reference	ACGIH 2024
Canada (Nunavut) - Occupational Exposure Limits	
Local name	Methyl alcohol (methanol)
OEL TWA	200 ppm
OEL STEL	250 ppm
Notations and remarks	Skin
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)
Canada (Northwest Territories) - Occupational Exposure Limits	
Local name	Methyl alcohol (methanol)
OEL TWA	200 ppm
OEL STEL	250 ppm
Notations and remarks	Skin
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-013-2020)

H-Go -45 °C Windshield Washer

Safety Data Sheet

according to Hazardous Products Regulation (WHMIS Revision 7-8)

Methanol (67-56-1)	
Canada (Ontario) - Occupational Exposure Limits	
Local name	Methanol
OEL TWAEV	200 ppm
	250 ppm
Notations and remarks	Skin
Regulatory reference	Ontario Occupational Exposure Limits under Regulation 833
Canada (Prince Edward Island) - Occupational Exposure Limits	
Local name	Methanol
OEL TWA	200 ppm
OEL STEL	250 ppm
Notations and remarks	TLV® Basis: Headache; eye dam; dizziness; nausea. Notations: Skin; BEI
Regulatory reference	ACGIH 2024
Canada (Saskatchewan) - Occupational Exposure Limits	
Local name	Methyl alcohol (methanol)
OEL TWA	200 ppm
OEL STEL	250 ppm
Notations and remarks	Skin
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10
Propan-2-ol (67-63-0)	
Canada (Alberta) - Occupational Exposure Limits	
Local name	2-Propanol (Isopropyl alcohol, isopropanol)
OEL TWA	492 mg/m³
	200 ppm
OEL STEL	984 mg/m³
	400 ppm
Regulatory reference	Alberta Regulation 191/2021
Canada (Quebec) - Occupational Exposure Limits	
Local name	Isopropyl alcohol
VECD (OEL STEV)	400 ppm
VEMP (OEL TWAEV)	200 ppm
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety
Canada (British Columbia) - Occupational Exposure Limits	
Local name	Isopropanol (Isopropyl alcohol, 2-Propanol)
OEL TWA	200 ppm
OEL STEL	400 ppm
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)

H-Go -45 °C Windshield Washer

Safety Data Sheet

according to Hazardous Products Regulation (WHMIS Revision 7-8)

Propan-2-ol (67-63-0)	
Canada (Manitoba) - Occupational Exposure Limits	
Local name	2-Propanol
OEL TWA	200 ppm
OEL STEL	400 ppm
Notations and remarks	TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen); BEI
Regulatory reference	ACGIH 2024
Canada (New Brunswick) - Occupational Exposure Limits	
Local name	2-Propanol
OEL TWA	200 ppm
OEL STEL	400 ppm
Notations and remarks	Eye & URT irr; CNS impair
Canada (Newfoundland and Labrador) - Occupational Exposure Limits	
Local name	2-Propanol
OEL TWA	200 ppm
OEL STEL	400 ppm
Notations and remarks	TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen); BEI
Regulatory reference	ACGIH 2024
Canada (Nova Scotia) - Occupational Exposure Limits	
Local name	2-Propanol
OEL TWA	200 ppm
OEL STEL	400 ppm
Notations and remarks	TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen); BEI
Regulatory reference	ACGIH 2024
Canada (Nunavut) - Occupational Exposure Limits	
Local name	Isopropyl alcohol
OEL TWA	200 ppm
OEL STEL	400 ppm
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)
Canada (Northwest Territories) - Occupational Exposure Limits	
Local name	Isopropyl alcohol
OEL TWA	200 ppm
OEL STEL	400 ppm
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-013-2020)
Canada (Ontario) - Occupational Exposure Limits	
Local name	2-Propanol

H-Go -45 °C Windshield Washer

Safety Data Sheet

according to Hazardous Products Regulation (WHMIS Revision 7-8)

Propan-2-ol (67-63-0)	
OEL TWAEV	200 ppm
	400 ppm
Regulatory reference	Ontario Occupational Exposure Limits under Regulation 833
Canada (Prince Edward Island) - Occupational Exposure Limits	
Local name	2-Propanol
OEL TWA	200 ppm
OEL STEL	400 ppm
Notations and remarks	TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen); BEI
Regulatory reference	ACGIH 2024
Canada (Saskatchewan) - Occupational Exposure Limits	
Local name	Isopropyl alcohol
OEL TWA	200 ppm
OEL STEL	400 ppm
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:
Protective gloves

Eye protection:
Safety glasses

Skin and body protection:
Wear suitable protective clothing

Respiratory protection:
[In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):



H-Go -45 °C Windshield Washer

Safety Data Sheet

according to Hazardous Products Regulation (WHMIS Revision 7-8)

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid
Colour	: Purple
Odour	: Alcohol
pH	: 8 – 11
Melting point	: -45 – -40 °C (-49 to -40°F)
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 25 – 30 °C (77 to 86°F)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: < 12.8 kPa (<96 mm Hg) [room temperature]
Relative vapour density at 20°C	: < 1.11
Relative density	: 0.9 – 0.97
Density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Explosive limits	: No data available
Particle characteristics	: No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

Reactivity	: Flammable liquid and vapour.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.
Incompatible materials	: No additional information available
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hardening time:	: No additional information available

SECTION 11 Toxicological information

11.1. Likely routes of exposure

Acute toxicity (oral)	: Toxic if swallowed.
Acute toxicity (dermal)	: Toxic in contact with skin.
Acute toxicity (inhalation)	: Inhalation:dust,mist: Harmful if inhaled.

H-Go -45 °C Windshield Washer	
ATE CA (oral)	222.222 mg/kg bodyweight
ATE CA (Dermal)	666.667 mg/kg bodyweight
ATE CA (dust,mist)	1.111 mg/l/4h
Methanol (67-56-1)	
LD50 oral rat	100 mg/kg Source: National Institute of Environmental Research NCIS

H-Go -45 °C Windshield Washer

Safety Data Sheet

according to Hazardous Products Regulation (WHMIS Revision 7-8)

Methanol (67-56-1)	
LD50 dermal rabbit	300 mg/kg Source: ECHA
ATE CA (oral)	100 mg/kg bodyweight
ATE CA (Dermal)	300 mg/kg bodyweight
ATE CA (dust,mist)	0.5 mg/l/4h
Propan-2-ol (67-63-0)	
LD50 oral rat	5840 mg/kg Source: ECHA
LD50 dermal rabbit	12800 mg/kg Source: ECHA
ATE CA (oral)	5840 mg/kg bodyweight
ATE CA (Dermal)	12800 mg/kg bodyweight
Skin corrosion/irritation	: Not classified. pH: 8 – 11
Methanol (67-56-1)	
pH	12.1 Source: Gestis
Serious eye damage/irritation	: Not classified pH: 8 – 11
Methanol (67-56-1)	
pH	12.1 Source: Gestis
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Propan-2-ol (67-63-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Causes damage to organs.
Methanol (67-56-1)	
STOT-single exposure	Causes damage to organs.
Propan-2-ol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Symptoms/effects after inhalation	: Harmful if inhaled.
Symptoms/effects after skin contact	: Toxic in contact with skin.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: Toxic if swallowed.

SECTION 12 Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified

H-Go -45 °C Windshield Washer

Safety Data Sheet

according to Hazardous Products Regulation (WHMIS Revision 7-8)

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Methanol (67-56-1)	
LC50 - Fish [1]	15400 mg/l Source: ECHA
EC50 96h - Algae [1]	22000 mg/l Source: ECHA
Propan-2-ol (67-63-0)	
LC50 - Fish [1]	10000 mg/l Test organisms (species): Pimephales promelas
LC50 - Fish [2]	9640 mg/l Test organisms (species): Pimephales promelas

12.2. Persistence and degradability

H-Go -45 °C Windshield Washer	
Persistence and degradability	Not rapidly degradable
Methanol (67-56-1)	
Persistence and degradability	Rapidly degradable
Propan-2-ol (67-63-0)	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

Methanol (67-56-1)	
Partition coefficient n-octanol/water (Log Pow)	-0.77 Source: HSDB, CHemIDplus
Propan-2-ol (67-63-0)	
Partition coefficient n-octanol/water (Log Pow)	0.05 Source: ICSC

12.4. Mobility in soil

Methanol (67-56-1)	
Mobility in soil	2.75 Source: HSDB

12.5. Other adverse effects

Ozone : Not classified
Fluorinated greenhouse gases : No

SECTION 13 Disposal considerations

Regional waste regulation : Disposal must be done according to official regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations : Disposal must be done according to official regulations.
Product/Packaging disposal recommendations : Disposal must be done according to official regulations.
Additional information : Flammable vapours may accumulate in the container. Do not re-use empty containers.

SECTION 14 Transport information

In accordance with TDG / IMDG / IATA

H-Go -45 °C Windshield Washer

Safety Data Sheet

according to Hazardous Products Regulation (WHMIS Revision 7-8)

14.1. UN Number

UN-No. (TDG) : UN1986
UN-No. (IMDG) : 1986
UN-No. (IATA) : 1986

14.2. UN Proper Shipping Name

Proper Shipping Name (TDG) : ALCOHOLS, FLAMMABLE, TOXIC, N.O.S. (Methanol)
Proper Shipping Name (IMDG) : ALCOHOLS, FLAMMABLE, TOXIC, N.O.S. (Methanol)
Proper Shipping Name (IATA) : Alcohols, flammable, toxic, n.o.s. (Methanol)

14.3. Transport hazard class(es)

TDG

Transport hazard class(es) (TDG) : 3 (6.1)
Hazard labels (TDG) : 3, 6.1
:



IMDG

Transport hazard class(es) (IMDG) : 3 (6.1)
Danger labels (IMDG) : 3, 6.1
:



IATA

Transport hazard class(es) (IATA) : 3 (6.1)
Danger labels (IATA) : 3, 6.1
:



14.4. Packing group, if applicable

Packing group (TDG) : III
Packing group (IMDG) : III
Packing group (IATA) : III

14.5. Environmental hazards

Dangerous for the environment : No
Other information : No supplementary information available.

14.6. Special precautions for user

TDG

UN-No. (TDG) : UN1986

H-Go -45 °C Windshield Washer

Safety Data Sheet

according to Hazardous Products Regulation (WHMIS Revision 7-8)

TDG Special Provisions	: 16 - (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the danger or dangers posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3). (2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name: (a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S; (b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S; (c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S; (d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or (e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S. (3) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a small means of containment: (a) UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or (b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS.
Explosive Limit and Limited Quantity Index	: 5 L
Excepted quantities (TDG)	: E1
Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	: 60 L
Emergency Response Guide (ERG) Number	: 131
IMDG	
Special provisions (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP1, TP28
EmS-No. (Fire)	: F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS
EmS-No. (Spillage)	: S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: Toxic if swallowed, by skin contact or by inhalation.
IATA	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y343
PCA limited quantity max net quantity (IATA)	: 2L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3P

14.7. Transport in bulk according to Annex II of MARPOL 73/78⁹ and the IBC Code¹⁰

Not applicable

H-Go -45 °C Windshield Washer

Safety Data Sheet

according to Hazardous Products Regulation (WHMIS Revision 7-8)

SECTION 15 Regulatory information

Methanol (67-56-1)
Listed on the Canadian DSL (Domestic Substances List)

Propan-2-ol (67-63-0)
Listed on the Canadian DSL (Domestic Substances List)

SECTION 16 Other Information

Issue date : 11/15/2018
Revision date : 9/23/2025
Supersedes : 11/15/2018

Full text of hazard classes and H-statements:	
H226	Flammable liquid and vapour
H301	Toxic if swallowed
H311	Toxic in contact with skin
H332	Harmful if inhaled
H370	Causes damage to organs.

Safety Data Sheet (SDS), Canada - Toxyscan 2025

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.